

**mahindra** *Rise*

**ALFA  
CARGO**



# Mahindra ka e-Cart Desh ka e-Cart.

**Presenting e-Alfa Cargo,  
now with 20% higher range**

#Terms and conditions apply



**No. 1 EV  
Range**



**Best in class,  
safety & comfort**



**1150+ Service  
Touchpoints**



**Trust of  
Mahindra**



**Accidental Insurance  
up to ₹ 10 Lakh<sup>#</sup>**





### The trust of performance

- Get faster turnaround, which means more trips and more income, with 1.6 kW power and 22 Nm torque.
- Better charging time with an 18 A off-board charger.
- Drive fatigue-free, without having to change any gears, with a clutch-less driving experience.
- Climb slopes easily with 7-degree gradeability in High Torque Mode.

### The trust of safety & comfort

- Comfortable and smooth ride with telescopic front suspension with hydraulic shock absorber and leaf spring rear suspension.
- No risk of overturning with a 2168 mm wheelbase and 139 mm unladen ground clearance.
- Best-in-class safety for driver with a strong metal body and chassis.
- Superior safety with powerful brakes.







### The trust of good loading capacity

- Superior loading rating in proportion to the size of the vehicle, with a payload of 310 kg.
- Ample loading space with a tray of outer size of 1350 mm x 984 mm x 336 mm and an inner size of 1280 mm x 920 mm x 280 mm.

### The trust of Higher Earnings

- Low maintenance cost with 12 months standard warranty and 12-month charger warranty.
- 18 months warranty on new and improved battery.
- 20% more Range\* than before for higher earnings with bigger capacity 140 Ah battery.



### The trust of Mahindra

- Accidental life insurance cover of ₹ 10 lakhs for the driver for a secure future for the family.
- Free roadside assistance for a peaceful ride anywhere.





VARIANT	E-Cart (e-Alfa Cargo)
Vehicle Category	E-Cart
Seating Capacity	D
Vehicle Height (in mm)	1790
Vehicle Length (in mm)	2795
Vehicle Width (in mm)	995
Wheel Base (in mm)	2168
Ground Clearance (in mm)	139
Unladen	
Wheel Track (in mm)	880
Maximum GVW (in kg)	793
Payload (in kg)	310
Motor	Brushless DC motor (BLDC Motor)
Peak Power -kW	1.6 kW
Max Torque -Nm	22 Nm at 190 motor r/min
Tyre Type	TT (tube type)
Tyre - Front	4.50 x 10 - 8PR, Tyre Rim- 3.5 B x 10
Tyre - Rear	90/90-12 64 B, Tyre Rim-2.15 J x 12
Transmission Type	Constant Mesh
Suspension Front	Leading link with integrated coil spring & dampner
Suspension Rear	Rigid Axel with leaf spring & dampners
Brakes - Front	Drum
Brakes - Rear	Drum
Cargo Box Dimensions (mm)	External 1350 mm (L) X 984 mm (W) X 336 mm (H) Internal 1280 mm (L) X 920 mm (W) X 280 mm (H)

For more details call on the toll free number 1800 120 150 150  
or log on to <http://mahindralastmilemobility.com>