

New Mahindra

Desh Ka e-Rickshaw

New 150 Ah battery





New

Powerful PMSM motor for superior performance

Longer range



18 month warranty

For worry-free ownership

Powerful Performance of the New e-Alfa

Advanced PMSM motor with **1.95 kW** peak power for superior load handling



High torque of **26.9 Nm** for better pick-up

18 A off-board charger for rapid and efficient charging





5-degree gradeability for smooth uphill navigation

Powerful **150 Ah** battery for extended performance

Longer Range of the New e-Alfa

Over **100+ km*** range for long-distance travel and increased earnings





3 driving modes - Low, Medium, and High Speed - for optimized turnaround time and higher profitability



Mahindra's Trust v

18 month warranty

Reduces maintenance cost on vehicle, battery and charger

Superior Safety with the New e-ALFA

132 mm ground clearance for enhanced vehicle stability

Wide **2168 mm** wheelbase for improved balance and control



Modern e-rickshaw design for superior safety





Cushioned seats for added comfort for both passengers and drivers



Powerful **brakes and suspension** system for enhanced protection



best-in-class safety

Additional Features of the New e-Alfa

Cabin light for ample interior illumination



Jack included for convenience



12 V electricity outlet for phone charging and music system connectivity

vith the New e-Alfa

₹10 lakh accident insurance

Offers comprehensive driver protection

| | Type / Varient | E-Rickshaw (e-Alfa Plus) |
|---------------|------------------------------------|--|
| Specification | Vehicle category | E-Rickshaw |
| | Seating capacity | D+4 |
| | Vehicle height (mm) | 1765 |
| | Vehicle length (mm) | 2780 |
| | Vehicle width (mm) | 995 |
| | Wheel base (mm) | 2168 |
| | Ground clearance (mm) empty | 132 |
| | Ground clearance (mm) full | 127 |
| | Wheel track (mm) | 880 |
| | Turning radius | 3500 |
| | Maximum GVW (kg) | 816 |
| | Vehicle's Kerb Weight (kg) | 436 |
| | Motor | Permanent Magnet Synchronous Motor (PMSM 1.2kW Motor) |
| | Max Speed (km/h) | 25 |
| | Typical Driving Range (RWUP) (km)* | 100 |
| | Charging Time (h) | 10-12 |
| | Peak Power (kW) | 1.95 kW @ 2600 r/min |
| | Max Torque (Nm) | 26.9 Nm @200 r/min |
| | Tyre Type | TT (Tube Type) |
| | Tyre Front | "4.50 x 10 - 8PR, Tire Rim -3.5B x 10" |
| | Tyre Rear | "90/90-12-64B Rim - 2.15 x 12" |
| | Transmission Type | Constant Mesh |
| | Suspension Front | Leading link with integrated coil spring and damper |
| | Suspension Rear | Rigid axle with leaf springs and damper |
| | Brakes - Front | Hand lever operated (drum) |
| | Brakes - Rear | Foot pedal operated, linkage type (drum) |
| | Battery Type, Capacity | Lead acid, 150 Ah |
| | Gradeability (Max) - Degree | 5 |
| | Driving Modes (Forward, Reverse) | F, R |
| | Mode for Speed | L, M, H |
| | Spare Wheel Provision | Yes |
| | 18 A Off Board Charger | Yes |
| | Cabin Lamp | Yes |
| | 12 V Socket | Yes |
| Warranty | Charger Warranty | 18 Months |
| | Battery Warranty | 18 Months |
| | Vehicle Warranty in Years | 18 Months |

^{*}Vehicle range depends on driving conditions. Terms and conditions apply.

Accessories shown are not included in the standard equipment. As part of our 'Continuous Improvement' policy, we reserve the right to change designs and specifications without liability. We also reserve the right to add or remove features from any model without prior notice or obligation.











