

Solid Power, Solid Trust

THE NEW ELECTRIC ZOR GRAND







Higher savings of

₹6 Lakh* Lower maintenance cost of just

12 paise / km

SUPER SAVER







Best-in-Industry
Power



Best-in-Class Gradeability



Excellent Torque



POWER PACKED PERFORMANCE



4.8 m³
Delivery Box



1828 mm Loading Tray



Range 100 km/ charge



PERFECTLY PRODUCTIVE

Deliver more than before



Clutch free & Gearless drive



Noiseless & Vibration free drive



FATIGUE FREE DRIVE

Feel the ultimate driving comfort



5 years battery warranty*



Full metal body construction

800+ Mahindra touchpoints





Financing solutions

LeasingSubscriptions

Road side assistance



TRUST OF MAHINDRA

Pioneer in development of electric 3-wheelers



Geolocation and Geofencing



Vehicle and Driver performance management



End-to-End fleet management



EXPERIENCE CONNECTED MOBILITY

With NEMO





Lithium-ion battery technology



Charging as simple as a mobile



Dust & Waterproof IP-67 rated motor



Regular software updates



ADVANCED TECHNOLOGY

Technology that can change the way you deliver





115 Crore electric - km



Saved 1.2 Lakh tonnes of Co₂



Equivalent to planting 55 Lakh trees



5 Crore litre of fuel worth ₹ 355 Crore



INNOVATION WITH ZERO EMISSION

Ecofriendly sustainable mobility







Variant	Delivery Van		Pickup
Vehicle category	L5N		L5N
Volume - m ³	4 m ³	4.8 m³	NA
Body type	DV	DV+	PU
Vehicle dimensions & weight			
Dimensions - Length x Width x Height - mm	3425 x 1505 x 2295	3475 x 1590 x 2490	3425 x 1460 x 1755
Wheelbase - mm	2200	2200	2200
Ground clearance - mm	180	180	180
Wheel track - mm	1260	1260	1260
Vehicle kerb weight - kg	580	598	492
Vehicle GVW - kg	998	998	998
Cargo Tray Size - Length x Width x Height (Inside dimensions) - mm	NA	NA	1828 x 1397 x 278
DV Box Size - Length x Width x Height (Inside dimensions) - mm	1864 x 1444 x 1488	1904 x 1545 x 1649	NA
Flat Bed Size - Length x Width x Height (Outside dimensions) - mm	NA	NA	NA
Performance Performance			
	FO	EO	EO
Top Speed - km/h	50	50	50
Certified range - km	153	153	158
Typical driving range - km	100	100	100
Gradeability - degree	11.5	11.5	11.5
Battery			
Battery type, Voltage - V	Lithium-ion, 48 V	Lithium-ion, 48 V	Lithium-ion, 48 V
Battery capacity - kWh	10.24	10.24	10.24
Charging time at standard conditions	4 h	4 h	4 h
Detectors			
Drivetrain	10	10	4.0
Peak power - kW	12	12	12
Peak torque - Nm	50	50	50
Suspension & brakes			
Suspension - Front	Helical Spring & Hydraulic Shock Absorber	Helical Spring & Hydraulic Shock Absorber	Helical Spring & Hydraulic Shock Absorber
Suspension - Rear	Rubber Spring & Hydraulic Damper	Rubber Spring & Hydraulic Damper	Rubber Spring & Hydraulic Damper
Brakes - Front/ Rear	Hydraulic Drum	Hydraulic Drum	Hydraulic Drum
Parking brake	Mechanical Lever Type	Mechanical Lever Type	Mechanical Lever Type
Features			
Windscreen & wiping system	√	√	√
Spare wheel provision	✓	✓ ✓	✓
Driving modes - FNR [Forward, Neutral, Reverse]	→	√	√
Economy & boost mode	✓	√	√
Lockable glove box	√	√	√
12 V socket	∨	∨ ✓	√
Telematics unit & GPS	√	√	√
Offboard charger	√	√	√
Hazard indicator	√	✓	✓
Cabin light	√	→	√
Bottle holder	V	√	√
Reverse buzzer	√	→	→
	V		Y
Warranty	3 years or 80000 km		











